



Touch gestures are called out with yellow overlay symbols. There's an index of gestures and their symbols at the end of the document and linked here.

Application can be initiated either from the Android App List, or from a shortcut on the desktop space.




1:23

VMware Horizon

Horizon Server

Connect



If the device has not been linked to an account, opening the app will prompt for a server to connect to.

The server is both the Horizon Auth server AND the Octopus File server.

If the device is already linked to an account these login screens will be skipped and the user will go straight to:

[My Files](#)


If users want to try secure and ONLY secure, they can prepend "https://" to the server name



VMware Horizon

Horizon Server

Connect



Signing in should navigate to the auth server which will be presented in a web view. If the server's cert is self-signed, a warning dialog is shown.

[See warning dialog](#)



1:23



Connecting to Horizon Server...



Once the server is selected, the authentication screen has to open in a webview display. Unlike a standard browser, the webview blanks out the screen to white until the new page is loaded. Bearing that in mind, this interstitial was created with a white background assumed.



1:23

VMware Horizon

Username

Passcode



Security Warning

There are problems with the security certificate for this server.

Go Back

Continue




In the event that the server's certificate is self-signed, we'll throw a warning similar to the one you see in a browser. This should be rare in practice, but common in development.

VMware Horizon

Username

Passcode



This page will likely be a full-screen web-view of the horizon login page. It should use custom CSS (based on the user agent) that makes the page look **just like the Android application**.



1:23

VMware Horizon

Username

pgibbons

Passcode

11381234

Sign In

1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p

a s d f g h j k l

↑ z x c v b n m ⊗

?123 , . 🔍





1:23



During initial data load, we show a splash screen, as it's assumed the initial load will be much longer than any subsequent load, given that it has to download 1) app list, 2) file hierarchy.

Offline files should be deferred and downloaded as an asynchronous action in the background.



1:23



Files



My Files



Documents

Crash reporting

VMware would like your help improving the quality and performance of this product. Do you allow VMware to collect and analyze anonymous diagnostic information if the application stops performing?

You may change this later in the application's Settings screen.

Cancel

Allow






1:23



Files




My Files

 Documents


 Photos



 Presentations

 Reports



 Spreadsheets





1:23



Files



My Files



Documents



Photos



Presentations




Reports




Spreadsheets





History will be added in the future.

Refresh should be removed if the server is deemed robust enough to reliably push updates in a timely fashion.



Animated refresh icon is displayed until refresh is complete, at which point refresh bar slides downward out of view.

Another alternative would be for refresh to spawn an asynchronous action that's pushed to the notification bar. I'm open to suggestions here.



1:23



Files



My Files

New folder

New folder name

Cancel

OK



Reports

1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p

a s d f g h j k l

↑ z x c v b n m ✕

?123

...

...





1:23

✓ | 1 selected

My Files

Documents


Photos

Presentations

Reports

Spreadsheets





Context actions on a folder you own

Share opens internal sharing controls to share folder with other Horizon users according to a designated role.

Rename, Move and Delete are typical actions I can use because I own the folder. These actions should be restricted to the overflow menu.



1:23

✓ | 1 selected

My Files

Documents


Photos

Presentations

Reports

Spreadsheets





Context actions on a folder shared with you:

Share shows me the current list of share properties on this folder.

Leave Share lets me unmount the shared folder from my hierarchy. Requires confirmation.

Rename, Move, and Delete are available because the person has "Edit" abilities.

Favorites

TPS_Report_38.pdf

TPS_Report_45.pdf



All favorited files are listed in a flat list alphabetically.





1:23



Favorites



TPS_Report_38.pdf



TPS_Report_45.pdf


Select item(s)

Notifications

Settings


Refresh





Favorite

Favorite is a toggle action, so if the selected item is already favorited, activating it unfavorites the item. Item would automatically be removed from the Favorites list.



Favorite is a toggle action, so if the selected item is already favorited, activating it unfavorites the item. Item would automatically be removed from the Favorites list.

Locate in Folder should be restricted to only being displayed in the overflow menu.

Stop sharing isn't shown because it's not applicable for the context.



1:23




Files



Files

Files



Do

Applications



Photos



Presentations




Reports



Spreadsheets





Possible node events:

- Touch Folder (Draft Reports) - navigate to folder
- Touch File (TPS_Report_04.pdf) - open file info
- Double Touch (TPS_Report_04.pdf) - open in default viewer
- Long Press (TPS_Report_08.pdf) - select file

Publicly shared files are denoted with a badge overlay on the icon, just like the web client.



Files



Reports

← Up to My Files

📁 Draft Reports

🖼️ Screenshot_2012-02-13-13-36-04.png

📄 TPS_Report_04.pdf

📄 TPS_Report_08.pdf

📄 TPS_Report_15.pdf





Draft Reports



Up to Reports



TPS_Report_01.pdf



TPS_Report_02.pdf



TPS_Report_13.pdf



TPS_Report_17.pdf



TPS_Report_18.pdf



TPS_Report_38.pdf



TPS_Report_45.pdf





✓ | 1 selected

Reports

← Up to My Files

📁 Draft Reports

🖼️ Screenshot_2012-02-13-13-36....

📄 TPS_Report_04.pdf

📄 TPS_Report_08.pdf

📄 TPS_Report_15.pdf


📄 TPS_Report_16.pdf

📄 TPS_Report_24.pdf

📄 TPS_Report_32.pdf

📄 TPS_Report_37.pdf






State not shown as it may apply to multiple files. Still toggles state.

Send passes the entire file to another application as an attachment. Example: Send to Email application which starts a new compose with the file as an attachment.

Send link passes a hyperlink text string to another application that can accept text. Example: Send to Twitter application which starts a new status update with the hyperlink pasted in the input. If the file wasn't publicly shared before, this triggers public sharing.

Requires "Public Sharing of files" permission. If permission doesn't exist, action is not displayed.

Stop Sharing is only enabled for Publicly Shared files. Activating the Stop Sharing action will immediately remove the sharing badge from the file icon, and disable the URL. No confirmation is needed, because reactivating the public URL uses the same obfuscated URL string, so the action is non-data-destructive.



Note that the file extension is not shown. This is consistent with the web client and other mobile clients.



✓ | 1 selected



Reports

← Up to My Files

📁 Draft Reports

🖼️ Screenshot_2012-02-13-13-36....

Delete

Are you sure you want to delete this item?

Cancel

OK

📄 TPS_Report_16.pdf

📄 TPS_Report_24.pdf

📄 TPS_Report_32.pdf

📄 TPS_Report_37.pdf





1:23



Files



Reports

← Up to My Files

📁 Draft Reports

🖼️ Screenshot_2012-02-13-13-36....

📄 TPS_Report_04.pdf

📄 TPS_Report_15.pdf

📄 TPS_Report_16.pdf


📄 TPS_Report_24.pdf

📄 TPS_Report_32.pdf

📄 TPS_Report_37.pdf


1 file deleted





Top level of the hierarchy replaces the "Up to" item with an item representing the root level so items can be moved to the root.

Reports node is disabled because a file can't be moved to its own current location.



When viewing the folder the file is currently in, the Move action is disabled



1:23



Files



Reports

← Up to My Files

📁 Draft Reports

🖼️ Screenshot_2012-02-13-13-36....

📄 TPS_Report_04.pdf

📄 TPS_Report_15.pdf

📄 TPS_Report_16.pdf

📄 TPS_Report_24.pdf

📄 TPS_Report_32.pdf

📄 TPS_Report_37.pdf

1 file moved
TPS_Report_41.pdf





1:23





Files



Reports

 Up to My Files

 Draft Reports

 Screenshot_2012-02-13-13-36....

 TPS_Report_04.pdf

 TPS_Report_08.pdf

 TPS_Report_15.pdf

 TPS_Report_16.pdf

 TPS_Report_24.pdf

 TPS_Report_32.pdf

File is no longer shared publicly





✓ | 2 selected

Reports

← Up to My Files

📁 Draft Reports

🖼️ Screenshot_2012-02-13-13-36....

📄 TPS_Report_04.pdf

📄 TPS_Report_08.pdf

📄 TPS_Report_15.pdf


📄 TPS_Report_16.pdf

📄 TPS_Report_24.pdf

📄 TPS_Report_32.pdf

📄 TPS_Report_37.pdf





Favoriting a mixed set of files makes all selected items a favorite, unless all selected items are already favorites, in which case it unfavorites all of them

Folders can't be favorited. Selecting a folder in the mixed selection set disabled Favorite, so there's not confusion about recursive actions.


Sending a mixed set of files passes all selected files to the selected app.

Folders cannot be sent. Selecting a mixed set including

Move works on both files and folders, such that the selection hierarchy remains intact.

Delete works on both files and folders, and the action on folders is recursive.

Permission Conflicts:
There may be cases in which a user selects multiple files, but the actions the user can perform on the files vary according to different permissions. In such a case, the action should be made available to the user, and when activated the system should alert the user to tell them that the action can't be performed on one or more of the files and prompt the user to either cancel the operation or continue on the files that do support the action.



Images are shown scaled to FIT the available space without overflow.

Documents may be broken into multiple images (1 per page) and are scaled to FILL the available space with overflow. (This maximizes zoom) Swiping up and down should navigate through the pages. Image can be pinched to zoom in/out of the preview image.



1:23





TPS_Report_04.pdf



Preview

Information





Favorite, Send, and Send Link are the only actions that aren't restricted to the overflow menu



Complete action using

- Amazon Kindle
- Document Viewer
- Use by default for this action.





1:23



TPS_Report_04.pdf



Preview

Information

Name: TPS_Report_04.pdf

Size: 446.08 KB

Version: 8

Last change: 3 Hours Ago by mbolton@initech.com

My roles: Share, Edit, and View



May need to break Last Changed into separate elements for time and editing user if there is trouble wrapping the data.



1:23



TPS_Report_04.pdf



TPS Report #04


This is the body of the TPS Report and is shown as a native PDF using the standard document viewer that ships with Android devices. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.


Lorem ipsum dolor sit amet, consectetur




This is a separate viewer application - not Horizon.



Android 2.x will need to use a dialog in place of the action bar inline search module.



Blank search Auto-complete shows last 5 search queries.



File results show a two-line list that includes the icon and name as normal, but also includes a second line to define the location. This fixes issues with multiple files with the same name being identifiable.



✓ | 1 selected



TPS_Report_01.pdf

/Reports/Drafts



TPS_Report_02.pdf

/Reports/Drafts



TPS_Report_04.pdf

/Reports



TPS_Report_08.pdf

/Reports



TPS_Report_13.pdf

/Reports/Drafts



TPS_Report_15.pdf

/Reports



TPS_Report_16.pdf

/Reports



TPS_Report_17.pdf




Selection of items brings up a contextual action bar just like you would see if the file were selected in a normal folder.

- TPS_Report_01.pdf
/Reports/Drafts
- TPS_Report_02.pdf
/Reports/Drafts
- TPS_Report_04.pdf
/Reports
- TPS_Report_08.pdf**
/Reports
- TPS_Report_13.pdf
/Reports/Drafts
- TPS_Report_15.pdf
/Reports
- TPS_Report_16.pdf
/Reports
- TPS_Report_17.pdf

- Open
- Send
- Send link
- Locate in folder
- Rename
- Move
- Delete

Locate in Folder function doesn't exist in other clients, but seems like it would be highly useful.



Invitations are stickied to the top until either accepted or ignored

Showing permissions is a nice to have

Tapping an invitation notification brings up the context response actions.

Tapping a file change notification navigates to the file's preview display

Notifications that are not 'new' are shown in a more 'read' state where the text is less contrasted with the background

As soon as I navigate away from notifications, all these notifications will move into a 'read' state.

This is different from the web client that removes file notifications after they've been read.

Is it assumed that these notifications are stored on the client when they come in, or retrieved from the server as a list? If it's the latter, then how many are retrieved? Are the rest just lazy-loaded?



Notifications

Bill Lumbergh

shared folder *Printer Log Files* with you with View, Edit and Share permissions.

Samir Nagheenanajar

shared folder *Foo* with you with View, Edit and Share permissions.

Michael Bolton

shared folder *TPS Drafts* with you with

Accept invitation

Ignore invitation

Accepting an individual folder should mount that folder and navigate directly to it, per consistency with iOS client.





Notifications

Bill Lumbergh

shared folder *Printer Log Files* with you with View, Edit and Share permissions.

Samir Nagheenanajar

shared folder *Foo* with you with View, Edit and Share permissions.

Michael Bolton

shared folder *TPS Drafts* with you with View, Edit and Share permissions.

Samir Nagheenanajar

shared folder *Bar* with you with View, Edit and Share permissions.

Accept all invitations

Ignore all invitations

These actions are only shown in an overflow menu

These bulk actions are included to cover the case of initial setup on the system where a user will likely immediately receive a large number of shares. Accepting and having to navigate back to the notifications screen would be unacceptable behaviour.





1:23



Notifications



Samir Nagheenanajar

shared folder *Foo* with you with
View, Edit and Share permissions.

Michael Bolton


shared folder *TPS Drafts* with you with
View, Edit and Share permissions.

Samir Nagheenanajar


shared folder *Bar* with you with
View, Edit and Share permissions.



Accepted or ignored folder share notifications are removed when they're acknowledged.



New Notifications (including share invitations and file changes) are pushed into Android notification bar



Multiple share notifications should role up into a single notification.

File notifications should remain separate from share notifications, and should also role up on their own



1:23

Sharing



Photos

Can view, edit and share this folder




Peter Gibbons

pgibbons@initech.com



First time share of a local folder




Viewing share information of a folder that has been shared with you

Add Share and Revoke All actions should only be exposed to users that have "View, Edit & Share" permission.

You see yourself listed according to your permissions level.

Context menu actions also should only be exposed to users with "View, Edit & Share" permission.


Groupings are listed in descending order of power, and users within a group are listed alphabetically.



"Stop sharing" should be only in the overflow menu


"Stop sharing" should bring up a confirmation dialog before removing the granted shares.

Obviously "Stop sharing" should NOT revoke your own permissions as a user with "View, Edit & Share" permissions.



User's name can be typed in using email address (pgibbons@initech.com). Regular display names (Peter) should autocomplete against the server (local contacts too?) to show matching accounts. ("Peter Gibbons" <pgibbons@initech.com>)


Defaults to lowest privilege, but can be escalated to "View and Edit" of "View, Edit and Share".




Error handling for Add Shares

Various errors include:

- * Forbid an external domain
- * Forbid all external domains
- * Address is malformed
- * External users can't be Admins
- * Address already exists (?)



Context menu on an existing share



List of Android apps that have registered as being able to accept a file



1:23

< Compose



pgibbons@initech.com

To

Subject

TPS_Report_04.pdf
446KB



Compose email


1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p

a s d f g h j k l


z x c v b n m

?123 , .






List of Android apps that have registered as being able to accept a passed text string



Link to file is obfuscated in the URL



Server and Account info are shown for basic reference. To change either, one must unlink the device. Once unlinked, starting the device takes the user through the authorization steps.

May not need the Security Timeout for Aloha release

Need Hi-Fi of this screen

Settings

Document cache size
Store up to 50 MB of data locally.



Quota
Using 123.4 MB of 20 GB



Requirements for App and Computer specific prefs haven't been given, but if they exist they'd follow the File Preferences in their own groupings.

DIAGNOSTICS

Performance reporting
Send anonymous diagnostic data

Verbose logging
Verbose logging is enabled

Save system log
Save diagnostic information to your My Files folder

Send system log
Send diagnostic information to another application



ABOUT

Version

Settings


- Performance reporting**
Send anonymous diagnostic data
- Verbose logging**
Verbose logging is enabled
- Save system log**
Save diagnostic information to your My Files folder
- Send system log**
Send diagnostic information to another application

ABOUT


- Version**
1.0.0 build 938731
- Copyright information**
- Privacy Policy**



Requirements for App and Computer specific prefs haven't been given, but if they exist they'd follow the File Preferences in their own groupings.



Description text should reflect the administrator settings. For example it could also read "Enter 8 character passcode" and the QWERTY keyboard would be shown.



Description text should reflect the administrator settings. For example it could also read "Enter 8 character passcode" and the QWERTY keyboard would be shown.



1:23



Settings



Account

Server

horizon.initech.com

Account

pgibbons@initech.com

Unlink device

Ends sync connection and removes cached files

General

Security passcode

Security passcode is not required.



Change passcode

Change your security passcode.

Lockout duration

Require passcode after 5 minutes of inactivity

File Preferences

Document cache size





1:23



Settings



Enter old passcode

**** I

Cancel

OK

Unlink Device

Ends sync connection and removes cached files

1

2

ABC

3

DEF

4

GHI

5

JKL

6

MNO

7

PQRS

8

TUV

9

WXYZ



0 +





Set new passcode

Enter 4-digit PIN

2468

Cancel

OK

Unlink Device

Ends sync connection and removes cached files

1	2 ABC	3 DEF	
4 GHI	5 JKL	6 MNO	
7 PQRS	8 TUV	9 WXYZ	⌫
	0 +		←



Enter old passcode

**** I

Cancel

OK

Unlink Device

Ends sync connection and removes cached files

1

2 ABC

3 DEF

4 GHI

5 JKL

6 MNO

7 PQRS

8 TUV

9 WXYZ



0 +





1:23



Settings



Confirm new passcode

Enter 4-digit PIN

2468

Cancel

OK

Unlink Device

Ends sync connection and removes cached files

1

2

ABC

3

DEF

4

GHI

5

JKL

6

MNO

7

PQRS

8

TUV

9

WXYZ



0+





VMware Horizon

Enter passcode

1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p

a s d f g h j k l

↑ z x c v b n m ⊗

?123 , . 🔍



When launching the application with "Security Passcode" enabled and passcode set, this screen will prompt users for their passcode.

Need Hi-Fi of this screen



1:23



Settings



pgibbons@initech.com

Unlink device

Ends sync connection and removes cached files



Copyright information

Copyright © 2013 VMware, Inc. All rights reserved.
This product is protected by copyright and intellectual property laws in the United States and other countries as well as by international treaties. VMware products are covered by one or more patents listed at <http://www.vmware.com/go/patents>.

Close

File Preferences

Document cache size

Store up to 50 MB of data locally.

About

Copyright information





This is an alphabetical list of the applications the user has activated either directly or had activated on their behalf by an IT admin.

List does NOT include native Android apps that have been installed.

[More on application states](#)

Tapping any of the applications will launch the default Android browser with the associated URL. OAuth token should be passed to browser, so the login isn't required and the action is seamless.

Long-press for selection-specific actions

Need Hi-Fi of this screen



1:23



Applications



AXIOM



BrassRing



Eureka



Fieldglass
US/CAN



Matching Gift



Model N



Pack



Payroll
Self-Service



VMStar



VMware Link



Workday




Zimbra



Apps that DO show up in this list:
SAAS Web Apps

Apps that DON'T show up in this list:
Mobile Apps (Android or iOS)
Remotable Apps (future)
Windows Thin Apps
View Desktops



Opening a web application from the launcher navigates directly to that application in the default browser. Note that it does NOT go through Horizon sign-in screens as the credential info is passed into it from the Horizon App Launcher.

If returning the OAuth token is slow for some reason, a branded splash screen can be shown as an interstitial.



1:23



Applications



Files

Applications



AXIOM



BrassRing



Eureka



Fieldglass
US/CAN



Matching Gift



Model N

Model N



Pack



Payroll
Self-Service



VMStar



VMware Link



Workday



Zimbra



Applications

The screenshot shows a grid of application icons. A context menu is open over the 'Settings' option, which is highlighted. The menu items are:

- Add application
- Settings
- Refresh

The application icons visible in the background are:

- AXIOM
- Ken 2
- Bras
- Fieldglass US/CAN
- Matching Gift
- Model N
- Pack
- Payroll Self-Service
- VMStar
- VMware Link
- Workday
- Zimbra

Settings are shared between Files, Apps and Desktops.



✓ | 1 selected X



AXIOM



BrassRing



Eureka



Fieldglass
US/CAN



Matching Gift



Model N



Pack



Payroll
Self-Service



VMStar



VMware Link



Workday




Zimbra

Tap the X icon to remove any selected apps. They can then be re-added from the app catalog.

Removing the app puts it into a Hidden state, but does not affect activation. If the user re-adds the application, the system just sees that as showing a previously activated app, so it occurs immediately.

Any number of items may be selected, so the action can be done in bulk.

This is important for consistency with how multi-file operations are carried out.



App Types that DO show up in this list:
SAAS Web Apps, Android Mobile Apps

App Types that DON'T show up in this list:
iOS Mobile Apps, Remotable Apps, Windows Thin Apps, View Desktops

App States that DO show up:
Available, "Both Activated & Hidden", Declined

Catalog admins may also add native Android apps to the list. They show up in the same list, but instead of activating them, you download them. Touching the button will dismiss the Add dialog and open the Google Play market to that application.





Error handling for when no applications are available in the catalog

Add application

ALL WEB

AXIOM
Web Application

BrassRing
Web Application

Fieldglass
Web Application

Foundation IP
Web Application

Matching Gift
Web Application



List of apps may be easily filtered by type



1:23



Add application



BrassRing
Web Application


Add

lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur

This application requires approval before activation, so it may not be available immediately after being added.



Add application



VMware View for Android

Android Application


Download

VMware View Client for Android makes it easy to access your Windows virtual desktop from your Android device with the best possible user experience on the Local Area Network (LAN) or across a Wide Area Network (WAN).

This application is hosted on Google Play. Downloading it will take you to Google Play to complete the installation.

External native apps will navigate to Google Play to continue the install.

Internal native apps (post-aloha) will immediately initiate a download of an APK file for install, and return to the Launcher. Once the download is completed, the user can tap the notification to open the APK and finish the install outside of Horizon.



Standard Google Play screen



1:23



Q I



ANDROID

ALL

WEB




AXIOM

Web Application



BrassRing

Web Application



Adobe PDF Reader

Android Application



Fieldglass

Web Application

1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p

a s d f g h j k l

↑ z x c v b n m ⊗

?123 , . 🔍





Search works as a live filter reducing the list of applications as each letter is typed.



1:23



Search ...



Vacation

Support

Printer Config



AX




Fieldglass
US/CAN



Matching Gift



Model N



Pack



Payroll
Self-Service



VMStar



VMware Link




Workday




Zimbra





When blank, auto-complete returns up to the previous 5 searches



Once text is entered, auto-complete returns previous searches that match typed string.

Search filters list of launcher apps immediately as letters are typed



1:23



VM



VMstar



VMware Link



Search results are just like the launcher app, and can be tapped to open the app.





1:23



VMZ



No applications found


















1:23





Camera






Uploads are initiated from source file using the standard Share function






On upload, the user is presented with a list of folders to which the file may be uploaded.




Not sure if this is possible, since it's something that's likely initiated by the source application.




Errors that occur when trying to upload data to Horizon will appear as a system notification in the status bar.

Additionally, if you're still in the uploading application, errors will also return to a toast message. Again not sure it's possible, so it's a nice to have.





Most common workflow would be to go to Horizon to remove unneeded files, so tapping alert takes user to top level of Files


Legend of Touch Control Indicators


 Touch

All unmarked interactions are assumed to be Touch unless otherwise stated

 Double Touch

 Long Press

 Swipe (arrow shows direction)

 Drag (arrow shows direction)

 Pinch Close

 Pinch Open

 Change Orientation

[Return](#)